```
priority="2"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p
riority="3"/>
     </section>
     <section priority="2">
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p
riority="2"/>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p
riority="2"/>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p
riority="2"/>
       <segment start="smpte=00;02:31:10" end="smpte=00;02:47:18" p
riority="3"/>
    </section>
    <section priority="1">
       <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p</p>
riority="1"/>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14" p
riority="1"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p
riority="2"/>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p</pre>
riority="2"/>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p</pre>
riority="2"/>
      <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p
riority="2"/>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p
riority="2"/>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p
riority="2"/>
    </section>
```

```
<section priority="3">
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p</pre>
riority="3"/>
    </section>
    <section priority="4">
       <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p
riority="4"/>
      <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p</pre>
riority="4"/>
      <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p</pre>
riority="4"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p</pre>
riority="5"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:04:57:06" end="smpte=00:05;00:02" p
riority="5"/>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p</pre>
riority="4"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p
riority="2"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p</pre>
riority="4"/>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p</p>
riority="4"/>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p
riority="3"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p
rioritv="4"/>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"</pre>
```

riority="2"/>

```
priority="4"/>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" p</pre>
riority="4"/>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" p</pre>
riority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" p</pre>
riority="4"/>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" p</pre>
riority="4"/>
    </section>
  </section>
  <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3"</pre>
 priority="4">
    <section priority="4">
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" p</pre>
riority="4"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" p</pre>
riority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" p</pre>
riority="1"/>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" p</pre>
riority="2"/>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" p
riority="2"/>
      <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" p</pre>
riority="2"/>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" p</pre>
riority="2"/>
      <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" p</pre>
riority="2"/>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p</pre>
```

<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27"</pre>

```
priority="2"/>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p</pre>
riority="2"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p</pre>
riority="3"/>
      <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p</pre>
riority="3"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p
riority="4"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p</pre>
riority="5"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p</pre>
riority="4"/>
    </section>
     <section priority="3">
      <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p</pre>
riority="3"/>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p</pre>
riority="3"/>
     </section>
     <section priority="4">
       <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p</pre>
riority="4"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p</pre>
riority="3"/>
     </section>
```

Pearne & Gordon LLP 526 Superior Ave., East Suite 1200

Cleveland, Ohio 44114-1484 (216) 579-1700

Applicant: Toshihiko Munetsugu et al. serial No.: N/A

Filed: Herewith

Title: "DATA PROCESSING METHOD AND STORAGE MEDIUM, AND PROGRAM FOR CAUSING COMPUTER TO EXECUTE THE DATA PROCESSING METHOD"

Docket No.: 32161US1 Sheet 9 of 259

FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML <?xml version="1.0"?>

ELEMENT<br ATTLIST</th <th>contents contents</th> <th>(section+)&gt; contents-id title runtime</th> <th>CDATA CDATA NMTOKEN</th> <th>#REQUIRED #REQUIRED #REQUIRED&gt;</th>	contents contents	(section+)> contents-id title runtime	CDATA CDATA NMTOKEN	#REQUIRED #REQUIRED #REQUIRED>
ELEMENT</td <td>section</td> <td>(section+ sec</td> <td>jment+)&gt;</td> <td></td>	section	(section+ sec	jment+)>	
ATTLIST</td <td>section</td> <td>section-id</td> <td>CDATA</td> <td>#REQUIRED</td>	section	section-id	CDATA	#REQUIRED
		caption	CDATA	#IMPLIED
		priority	NMTOKEN	#REQUIRED>
ELEMENT</td <td>segment</td> <td>(dominant-da</td> <td>ıta*)&gt;</td> <td></td>	segment	(dominant-da	ıta*)>	
ATTLIST</td <td>segment</td> <td>start</td> <td>CDATA</td> <td>#REQUIRED</td>	segment	start	CDATA	#REQUIRED
		end	CDATA	#REQUIRED
		priority	NMTOKEN	#REQUIRED>
ELEMENT</td <td>dominant-dat</td> <td>a EMPTY&gt;</td> <td></td> <td></td>	dominant-dat	a EMPTY>		
ATTLIST</td <td>dominant-dat</td> <td>a frame-no</td> <td>NMTOKEN</td> <td>#IMPLIED</td>	dominant-dat	a frame-no	NMTOKEN	#IMPLIED
		start	CDATA	#IMPLIED
		end		#IMPLIED
		locator	CDATA	#IMPLIED>

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m03.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR NAMENT" runtime="11:42">

<section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1"
priority="5">

<section priority="1">

f"/>

<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17" p
riority="1">

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi

<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m
p3"/>

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi f"/>

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m</p>
p3"/>
       </seament>
    </section>
     <section priority="2">
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13" p
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m</p>
p3"/>
       </segment>
    </section>
    <section priority="3">
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m</p>
p3"/>
       </segment>
    </section>
    <section priority="1">
      <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19" p</pre>
riority="1">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma05.m</p>
p3"/>
      </seament>
    </section>
    <section priority="3">
      <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m</p>
p3"/>
      <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m
p3"/>
```

```
<segment start="smpte=00:00:30:29" end="smpte=00:00:43:11" p
 riority="3">
          <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
 35:05"/>
        </segment>
     </section>
     <section priority="2">
        <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20" p
 riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi</p>
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m
 p3"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09" p</pre>
 riority="3">
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
 50:03"/>
       </seament>
     </section>
     <section priority="2">
       <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28" p
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m
p3"/>
       </segment>
    </section>
    <section priority="4">
       <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m</pre>
p3"/>
      </segment>
    </section>
    <section priority="2">
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20" p</pre>
riority="2">
         <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
19:03"/>
```

```
</segment>
      </section>
      <section priority="3">
        <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p</pre>
 riority="3">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m</pre>
 p3"/>
        </seament>
     </section>
     <section priority="2">
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p</pre>
 riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi</p>
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m</pre>
 p3"/>
       </seament>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p</pre>
riority="2">
         <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
55:10"/>
       </segment>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m</pre>
p3"/>
       </seament>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18" p
riority="3">
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
       </segment>
    </section>
    <section priority="1">
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p</pre>
rioritv="1">
        <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
48:02"/>
      </segment>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"
```

```
priority="1">
          <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
 02:12"/>
        </segment>
      </section>
      <section priority="2">
        <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p</pre>
 riority="2">
          <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
 10:20"/>
       </seament>
       <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p
 riority="2">
          <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
 18:03"/>
       </segment>
       <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p
 riority="2">
          <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
 25:02"/>
       </seament>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p</pre>
         <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
       </segment>
       <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p
riority="2">
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
       </segment>
       <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p
riority="2">
         <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
01:07"/>
       </segment>
    </section>
    <section priority="3">
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m</p>
p3"/>
```

```
</seament>
      </section>
      <section priority="4">
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m</pre>
 p3"/>
        </seament>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m</p>
 p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p</pre>
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m"</pre>
p3"/>
       </segment>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p
riority="5">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m</p>
p3"/>
       </segment>
    </section>
    <section priority="5">
      <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02" p</pre>
riority="5">
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p</pre>
riority="4">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m</p>
 p3"/>
        </seament>
     </section>
     <section priority="2">
        <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p
 riority="2">
          <dominant-data start="smpte=00:05:03:02" end="smpte=00:05;</pre>
 02:20"/>
        </seament>
     </section>
     <section priority="4">
       <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p
 riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</p>
 p3"/>
       </segment>
       <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m</pre>
p3"/>
       </seament>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p
rioritv="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27" p
riority="4">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m
p3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp26.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m</p>
p3"/>
      </seament>
       <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" p
riority="4">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" p
riority="4">
         <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
      </seament>
    </section>
  </section>
  <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3"</pre>
 priority="4">
    <section priority="4">
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" p
riority="4">
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m</p>
p3"/>
      </segment>
    </section>
    <section priority="3">
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" p
riority="3">
```

```
<dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp29.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m</p>
 c3"/>
       </seament>
     </section>
     <section priority="2">
       <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" p
 riority="1">
          <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
 18:23"/>
       </segment>
       <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" p
riority="2">
         <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
 43:01"/>
       </seament>
       <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" p
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m
p3"/>
       </seament>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" p
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" p
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" p
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m.</p>
p3"/>
```

```
</seament>
        <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p</pre>
 riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma34.m.</p>
 p3"/>
        </segment>
        <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27" p</pre>
 riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m
 p3"/>
       </segment>
       <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p
 riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m
 p3"/>
       </segment>
     </section>
     <section priority="3">
       <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m
p3"/>
       </segment>
       <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m</pre>
p3"/>
       </segment>
    </section>
    <section priority="4">
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi</p>
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m</p>
 p3"/>
        </segment>
      </section>
     <section priority="5">
        <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p
 riority="5">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi</p>
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m"
 p3"/>
       </segment>
     </section>
     <section priority="4">
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p</pre>
 riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m</p>
p3"/>
       </seament>
     </section>
     <section priority="3">
       <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m
p3"/>
      </segment>
    </section>
    <section priority="4">
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.</p>
```

```
mp3"/>
       </segment>
     </section>
     <section priority="3">
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m
p3"/>
       </segment>
    </section>
    <section priority="1">
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29" pr</pre>
iority="1">
         <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
       </segment>
    </section>
  </section>
</contents>
```

FIG. 22




FIG. 23




FIG. 24





FIG. 25








FIG. 27







= (NUMBER OF FIXED SAMPLES) x BIT RATE/SAMPLING FREQUENCY (BIT)

FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35 START SEEK SET  $\Omega$  OF ELEMENTS <section> S<sub>1</sub> HAVING CHILDREN <segment> SORT ELEMENTS OF SET  $\boldsymbol{\Omega}$ IN SEQUENCE OF PRIORITY Tc  $\leftarrow$  0,  $\Omega' \leftarrow \emptyset$ S4 YES  $\Omega = \emptyset$ ? SELECT ELEMENT NO <section> HAVING S11 ~ MINIMUM PRIORITY ACQUIRE ELEMENT < section > FROM SET  $\Omega'$ HAVING HIGHEST PRIORITY S5 FROM ELEMENTS IN SET  $\Omega$ DELETE CHILD <segment> HAVING MINIMUM CALCULATE START TIME "f" AND S12~ PRIORITY FROM AMONG END TIME "t" OF ELEMENT CHILDREN OF SELECTED S6 <section> FROM CHILD <segment> ELEMENTS <section> OF THE ELEMENT <section> DURATION OF ELEMENT ADD ACQUIRED S13~ <section> FROM <section> TO SET  $\Omega$ WHICH To IS DELETED Tc - Tc + t - f + 1 S14 IS To NO LOWER THAN S9 THRESHOLD Tc: THRESHOLD. VALUE? VALUE YES OUTPUT DATA SETS RELATING TO START TIME AND END TIME OF - S10 ALL ELEMENTS < section > OF SET  $\Omega'$ 

**END** 

FIG. 36






FIG. 37





#### ONE EXAMPLE OF DTD USED FOR DESCRIBING STRUCTURE DE SCRIPTION DATA

<?xml version="1.0"?>

<!ENTITY % types "(audiolyideolaudiovideo)"> <!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg</pre> 2-ps/mpeg2-ts/mpeg2-video)"> <!ELEMENT contents (mediaobiect+)> <!ATTLIST contents contents-id CDATA #REQUIRED title CDATA #REQUIRED runtime NMTOKEN #REQUIRED> <!ELEMENT mediaobject EMPTY>

<!ATTLIST mediaobject id

SCRIPTION DATA

type format

CDATA %types: %formats:

#REQUIRED "audiovideo" #REQUIRED NMTOKEN #REQUIRED #REQUIRED>

seq locator

CDATA

ONE EXAMPLE OF XML DOCUMENT RELATING TO PHYSICAL DE

<?xml version="1.0" encoding="euc-jp"?> <!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m06.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</pre> NAMENT" runtime="11:42">

<mediaobject id="mobj-01" type="audiovideo" format="mpeq1-system"</pre> seq="1" locator="sumou01.mpg"/>

<mediaobject id="mobj-02" type="audiovideo" format="mpeg1-system"</pre> seq="2" locator="sumou02.mpg"/>

</contents>

# ONE EXAMPLE OF DTD USED FOR DESCRIBING CONTEXT DESCRIPTION DATA

<?xml version="1.0"?>

```
<!ELEMENT contents
                      (mediaobject+)>
<!ATTLIST
           contents
                      contents-id CDATA
                                            #REQUIRED
                      title
                                 CDATA
                                            #REQUIRED
                      runtime
                                 NMTOKEN
                                            #REQUIRED>
<!ELEMENT mediaobiect (section+)> -
<IATTLIST mediaobject id
                                 CDATA
                                            #REQUIRED>
<!ELEMENT section
                      (section+|seament+)>
<!ATTLIST section
                      caption
                                 CDATA
                                            #IMPLIED
                      priority
                                 NMTOKEN
                                            #REQUIRED>
<!ELEMENT segment
                      EMPTY>
<!ATTLIST segment
                      start
                                 CDATA
                                            #REQUIRED
                      end
                                 CDATA
                                            #REQUIRED
                      priority
                                 NMTOKEN
                                            #REQUIRED>
```

# ONE EXAMPLE OF XML DOCUMENT RELATING TO STRUCTURE DESCRIPTION DATA

```
<?xml version="1.0" encoding="euc-jp"?>
<IDOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m07.dtd">
```

```
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR NAMENT
```

```
" runtime="11:42">
```

<mediaobject id="mobj-01">

<section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER
1 " priority="5">

<section priority="1">

<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17"
priority="1"/>

<segment start="smpte=00:00:04:18" end="smpte=00:00:09:08"
priority="1"/>

</section>

<section priority="2">

</section>

<section priority="3">

<segment start="smpte=00:00:14:14" end="smpte=00:00:19:19</pre>

```
" priority="3"/>
       </section>
       <section priority="1">
         <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19"
 priority="1"/>
      </section>
      <section priority="3">
         <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10"
 priority="3"/>
         <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28"</pre>
 priority="3"/>
         <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11"
 priority="3"/>
      </section>
      <section priority="2">
         <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20"
 priority="2"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09"
priority="3"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28"</pre>
priority="2"/>
      </section>
      <section priority="4">
        <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14"</pre>
priority="4"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20"
priority="2"/>
     </section>
     <section priority="3">
        <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26"</p>
priority="3"/>
     </section>
     <section priority="2">
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09"
priority="2"/>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16"
priority="2"/>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09"</pre>
priority="2"/>
```

```
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18"</p>
 priority="3"/>
       </section>
       <section priority="1">
         <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03"
 priority="1"/>
         <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"</pre>
 priority="1"/>
       </section>
       <section priority="2">
         <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28"</pre>
 priority="2"/>
         <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28"</pre>
 priority="2"/>
         <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15"</pre>
 priority="2"/>
        <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00"</pre>
 priority="2"/>
        <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14"</pre>
 priority="2"/>
        <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27"</pre>
priority="2"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01"</pre>
priority="3"/>
      </section>
      <section priority="4">
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05"</pre>
priority="4"/>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28"
        <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06"</p>
priority="4"/>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05"
priority="5"/>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02"
priority="5"/>
       <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06"</pre>
priority="4"/>
     </section>
```

į.i.

```
<section priority="2">
         <segment start="smpte=00:05:02:07" end="smpte=00:05;04:16"
 priority="2"/>
       </section>
       <section priority="4">
         <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25"
 priority="4"/>
         <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01"
 priority="4"/>
         <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21"
 priority="3"/>
         <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15"
 priority="4"/>
         <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"
 priority="4"/>
         <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15"
 priority="4"/>
         <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05"</pre>
 priority="4"/>
         <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04"
 priority="4"/>
         <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04"
 priority="4"/>
      </section>
    </section>
  </mediaobject>
  <mediaobject id="mobj-02">
    <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER</pre>
3" priority="4">
      <section priority="4">
        <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24"
 priority="4"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21"</pre>
 priority="3"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26"
priority="1"/>
        <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02"</p>
priority="2"/>
        <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17"</pre>
priority="2"/>
        <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21
```

```
priority="2"/>
        <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02"</pre>
 priority="2"/>
        <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05"
priority="2"/>
        <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06"</pre>
priority="2"/>
        <segment start="smpte=00:02:29:07" end="smpte=00:02:45:27"</pre>
priority="2"/>
        <segment start="smpte=00:02:45:28" end="smpte=00:02:49:20"</pre>
priority="2"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:02:49:21" end="smpte=00:02:58:26"
priority="3"/>
        <segment start="smpte=00:02:58:27" end="smpte=00:03:02:25"
priority="3"/>
      </section>
      <section priority="4">
        <segment start="smpte=00:03:02:26" end="smpte=00:03:04:27"
priority="4"/>
     </section>
     <section priority="5">
        <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11"
priority="5"/>
     </section>
     <section priority="4">
        <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27"</pre>
priority="4"/>
     </section>
     <section priority="3">
        <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01"</pre>
priority="3"/>
        <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21"
priority="3"/>
     </section>
     <section priority="4">
        <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17"
priority="4"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:04:23:18" end="smpte=00:05:10:17"
priority="3"/>
     </section>
     <section priority="1">
```

#### FIG. 46

id="mobj-01" start="smpte=00:01:00:29" end="smpte=00:01:14:14" id="mobj-01" start="smpte=00:04:20:02" end="smpte=00:05:02:06" id="mobj-01" start="smpte=00:05:04:17" end="smpte=00:06:41:04" id="mobj-02" start="smpte=00:00:00:00" end="smpte=00:00:42:24" id="mobj-02" start="smpte=00:03:02:26" end="smpte=00:03:33:27" id="mobj-02" start="smpte=00:03:54:22" end="smpte=00:04:23:17"

FIG. 47





FIG. 48



id="mobj-01"

start="smpte=00:01:00:29" start="smpte=00:04:20:02" start="smpte=00:05:04:17" id="mobj-02"

start="smpte=00:00:00:00" start="smpte=00:03:02:26"

start="smpte=00:03:54:22"

end="smpte=00:01:14:14" end="smpte=00:05:02:06" end="smpte=00:06:41:04"

end="smpte=00:00:42:24" end="smpte=00:03:33:27" end="smpte=00:04:23:17"

FIG. 50




FIG. 51





FIG. 52






FIG. 54




FIG. 55




FIG. 56





FIG. 57



ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XMI

<?xml version="1.0"?>

(section+)> contents-id title runtime	CDATA CDATA NMTOKEN	#REQUIRED #REQUIRED #REQUIRED>
(pointofview)	, (section+lse	egment+))>
caption	CDATA	#IMPLIED>
(pointofview	")>	
start	CDATA	#REQUIRED
end	CDATA	#REQUIRED>
EMPTY>		
keyword priority	CDATA NMTOKEN	#REQUIRED>
	contents-id title runtime (pointofview' caption (pointofview' start end EMPTY> keyword	contents-id CDATA title CDATA runtime NMTOKEN (pointofview*, (section+ se caption CDATA (pointofview*)> start CDATA end CDATA EMPTY> keyword CDATA

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY  $\ensuremath{\mathsf{DTD}}$ 

```
<?xml version="1.0" encoding="euc-jp"?>
<IDOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m02.dtd">
```

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR NAMENT" runtime="11:42">

<section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1">

<pointofview keyword="SUMO WRESTLER 4" priority="1"/>
<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">

/seament>

</section>

<segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
</segment>

</section>

<section>

<pointofview keyword="SUMO WRESTLER 0" priority="4"/>
<segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">

```
</segment>
 </section>
 <section>
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
     <pointofview keyword="SUMO WRESTLER0" priority="3"/>
     <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
     <pointofview keyword="SUMO WRESTLER0" priority="1"/>
   <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  </seament>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="1"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <pointofview keyword="SUMO WRESTLERO" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
</section>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO NAME" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <pointofview keyword="SUMO WRESTLER1" priority="2"/>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </seament>
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <pointofview keyword="SUMO WRESTLERO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="1"/>
  <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </seament>
 <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
</seament>
 </section>
 <section>
   <pointofview keyword="SUMO WRESTLER2" priority="2"/>
   <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
   </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER5" priority="2"/>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </seament>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
 <pointofview keyword="SUMO WRESTLER1" priority="5"/>
 <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
```

```
</seament>
   <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
     <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   </segment>
   <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
     <pointofview keyword="SUMO WRESTLER1" priority="4"/>
   </seament>
   <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
     <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   </segment>
   <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
   </seament>
   <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </seament>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
<section>
 <pointofview keyword="VIDEO" priority="4"/>
 <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
```

```
<pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </seament>
    <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
    <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    </seament>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </seament>
  </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <section>
    <pointofview keyword="SUMO NAME" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
    </segment>
 </section>
 <section>
    <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
```

```
<segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
  </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
 </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
 <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </seament>
 <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
 <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </seament>
 <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
```

```
</segment>
  <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  </seament>
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

<?xml version="1.0"?>

```
<!ELEMENT contents
                       (section+)>
<!ATTLIST
           contents
                       contents-id
                                 CDATA
                                              #REQUIRED
                       title
                                  CDATA
                                              #REQUIRED
                       runtime
                                  NMTOKEN
                                              #REQUIRED>
<!ELEMENT section
                       (pointofview*,(section+|segment+))>
<IATTLIST
           section
                       caption
                                  CDATA
                                              #IMPLIED>
<!ELEMENT segment
                       (pointofview*,dominant-data)>
<!ATTLIST
           segment
                                  CDATA
                       start
                                              #REQUIRED
                       end
                                  CDATA
                                              #REQUIRED>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       kevword
                                  CDATA
                                              #REQUIRED
                       priority
                                  NMTOKEN
                                             #REQUIRED>
<!ELEMENT dominant-data EMPTY>
<!ATTLIST
           dominant-data frame-no
                                  NMTOKEN
                                             #IMPLIED
                       start
                                  CDATA
                                             #IMPLIED
                       end
                                  CDATA
                                             #IMPLIED
                      locator
                                  CDATA
                                             #IMPLIED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY  $\operatorname{DTD}$ 

```
///////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
```

```
<contents contents-id="urn:upi:nhk:12345" title="GRAND SUMO
TOURNAMENT" runtime="11:42">
<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
<section caption="SUMO WRESTLER0" priority="5"/>
<pointofview keyword="SUMO WRESTLER1" priority="5"/>
<section>
<pointofview keyword="SUMO WRESTLER1" priority="1"/>
<section>
<pointofview keyword="SUMO WRESTLER4" priority="1"/>
<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
```

```
</seament>
      </section>
      <section>
        <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
          <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gif"/>
          <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMA/dma02.mp3"/>
       </segment>
     </section>
     <section>
       <pointofview keyword="SUMO WRESTLER0" priority="4"/>
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
         <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gif"/>
         <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMA/dma03.mp3"/>
       </seament>
     </section>
     <section>
       <pointofview keyword="SUMO WRESTLER0" priority="3"/>
       <pointofview keyword="SUMO WRESTLER1" priority="3"/>
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
         <pointofview keyword="SUMO WRESTLER0" priority="3"/>
         <pointofview keyword="SUMO WRESTLER1" priority="3"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gif"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma04.mp3"/>
       </segment>
      <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
         <pointofview keyword="SUMO WRESTLER0" priority="1"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gif"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma05.mp3"/>
      </seament>
      <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma06.mp3"/>
```

```
</segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER4" priority="2"/>
      <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER4" priority="2"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma07.mp3"/>
      </segment>
      <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER4" priority="1"/>
        <dominant-data
                                           start="smpte=00:00:31:20"
end="smtpe=00:00:35:05"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma08.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                                           start="smpte=00:00:47:00"
end="smpte=00:00:50:03"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
```

```
<pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMV/dmp09.qif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma09.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO NAME" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="5"/>
      <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <pointofview keyword="SUMO NAME" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma10.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="2"/>
      <pointofview keyword="SUMO WRESTLER1" priority="2"/>
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
        <dominant-data
                           start="smpte=00:01:15:20"
                                                         end="smpte
=00:01:19:03"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="WIN-LOSS RECORD " priority="3"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma11.mp3"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
<pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="1"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMV/dmp12.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma12.mp3"/>
      </segment>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                           start="smpte=00:01:52:20"
                                                         end="smpte
=00:01:55:10"/>
      </segment>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMV/dmp13.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma13.mp3"/>
      </seament>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                                            start="smpte=00:02:31:20"
end="smpte=00:02:38:11"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="2"/>
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
        <pointofview keyword="SUMO WRESTLER2" priority="2"/>
        <dominant-data
                                            start="smpte=00:02:47:25"
end="smpte=00:02:48:02"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER5" priority="2"/>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
        <pointofview keyword="SUMO WRESTLER5" priority="2"/>
        <dominant-data
                                            start="smpte=00:02:59:10"
end="smpte=00:03:02:12"/>
      </seament>
    </section>
    <section>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="3"/>
       <pointofview keyword="SUMO WRESTLER1" priority="3"/>
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
         <pointofview keyword="SUMO WRESTLER0" priority="3"/>
         <pointofview keyword="SUMO WRESTLER1" priority="3"/>
         <dominant-data
                            start="smpte=00:03:08:12"
                                                        end="smnte=
 00:03:10:20"/>
       </segment>
       <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
         <pointofview keyword="SUMO WRESTLER0" priority="4"/>
         <dominant-data
                            start="smpte=00:03:15:10"
                                                        end="smpte=
 00:03:18:03"/>
       </segment>
       <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                           start="smpte=00:03:22:08"
                                                        end="smpte=
 00:03:25:02"/>
       </segment>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
         ointofview keyword="SUMO WRESTLER0" priority="4"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                           start="smpte=00:03:35:09"
                                                        end="smpte=
00:03:38:21"/>
      </seament>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                           start="smpte=00:03:48:00"
                                                        end="smpte=
00:03:51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
                           start="smpte=00:03:59:02"
                                                       end="smpte=
00:04:01:07"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="5"/>
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
                          locator=http://mserv.trl.mei.co.jp/DMV/dmp14.
qif/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.</pre>
mp3"/>
```

```
</segment>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMV/dmp15.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma15.mp3"/>
      </seament>
      <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMV/dmp16.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma16.mp3"/>
      </seament>
      <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma17.mp3"/>
      </seament>
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma18.mp3"/>
      </segment>
      <segment start="smpte=00;04:57:06" end="smpte=00:05:00:02">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMV/dmp19.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma19.mp3"/>
      </segment>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp20.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma20.
mp3"/>
      </segment>
```

```
</section>
    <section>
      <segment start="smpte=00;05;02;07" end="smpte=00;05;04:16">
        <dominant-data
                            start="smpte=00:05:03:02"
                                                         end="smpte=
00:05:02:20"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp21.
gif"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.ip/DMA/dma21.
mp3"/>
      </segment>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp22.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma22.
mp3"/>
      </seament>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMV/dmp23.
qif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma23.
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.ip/DMV/dmp24.
qif"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.ip/DMA/dma24.
mp3"/>
      </seament>
```

```
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="5"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp25.
gif"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma25.
mp3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="4"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp26.
aif"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma26.
mp3"/>
      </segment>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="4"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp27.
aif"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.</p>
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
        <dominant-data
                           start="smpte=00:06:18:25"
                                                        end="smpte=
00:06:20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
        <dominant-data
                           start="smpte=00:06:25:01"
                                                        end="smpte=
00:06:30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
   <pointofview keyword="SUMO WRESTLER3" priority="5"/>
   <section>
```

```
<pointofview keyword="SUMO NAME" priority="4"/>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <pointofview keyword="SUMO WRESTLER3" priority="5"/>
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
        <pointofview keyword="SUMO NAME" priority="4"/>
        <pointofview keyword="SUMO WRESTLER2" priority="5"/>
        <pointofview keyword="SUMO WRESTLER3" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma28.mp3"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="WIN-LOSS REORD" priority="3"/>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp29.
gif"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMA/dma29.
mp3"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="2"/>
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
        <pointofview keyword="SUMO WRESTLER0" priority="2"/>
        <dominant-data
                          start="smpte=00:07:16:05"
                                                        end="smpte=
00:07:18:23"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data
                          start="smpte=00:07:41:28"
                                                        end="smpte=
00:07:43:01"/>
      </segment>
    </section>
   <section>
```

```
<pointofview keyword="SUMO WRESTLER2" priority="4"/>
       <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <pointofview keyword="SUMO WRESTLER3" priority="4"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMA/dma30.mp3"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma31.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.</p>
gif"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.</p>
mp3"/>
      </segment>
      <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.</p>
gif"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.</p>
mp3"/>
      </seament>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp34.</p>
aif"/>
```

```
<dominant-data
                           locator="http://mserv.trl.mei.co.ip/DMA/dma34.
mp3"/>
      </seament>
      <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMV/dmp35.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMA/dma35.
mp3"/>
      </segment>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp36.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma36.
mp3"/>
      </seament>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp37.
aif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma37.
mp3"/>
      </seament>
      <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.</p>
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMA/dma38.
mp3"/>
      </segment>
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp39.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMA/dma39.
mp3"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <pointofview keyword="SUMO WRESTLER3" priority="5"/>
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
```

```
<pointofview keyword="SUMO WRESTLER2" priority="5"/>
         <pointofview keyword="SUMO WRESTLER3" priority="5"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMV/dmp40.
aif"/>
         <dominant-data
                           locator="http://mserv.trl.mei.co.ip/DMA/dma40.
/"8am
       </segment>
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <pointofview keyword="SUMO WRESTLER2" priority="5"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMV/dmp41.
gif"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma41.
mp3"/>
       </segment>
       <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <pointofview keyword="SUMO WRESTLER3" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMV/dmp42.
aif"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMA/dma42.
mp3"/>
      </seament>
      <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMV/dmp43.
aif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMA/dma43.
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp44.
qif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma44.
mp3"/>
      </seament>
```

```
</section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp45.
gif"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMA/dma45.
mp3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
        <dominant-data
                           start="smpte=00:11:29:13"
                                                        end="smpte=
11:32:21"/>
      </segment>
    </section>
  </section>
</contents>
```




FIG. 82






FIG. 83





79/259






FIG. 86



81/259



ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

<?xml version="1.0"?>

ELEMENT<br ATTLIST</th <th>contents contents</th> <th>(mediaobject contents-id title runtime</th> <th>(+)&gt; CDATA CDATA NMTOKEN</th> <th>#REQUIRED #REQUIRED #REQUIRED&gt;</th>	contents contents	(mediaobject contents-id title runtime	(+)> CDATA CDATA NMTOKEN	#REQUIRED #REQUIRED #REQUIRED>
ELEMENT</td <td>mediaobject</td> <td>(section+)&gt;</td> <td></td> <td></td>	mediaobject	(section+)>		
ATTLIST</td <td>mediaobject</td> <td>id</td> <td>CDATA</td> <td>#REQUIRED&gt;</td>	mediaobject	id	CDATA	#REQUIRED>
ELEMENT</td <td>section</td> <td colspan="3">(pointofview*,(section+ segment+))&gt;</td>	section	(pointofview*,(section+ segment+))>		
ATTLIST</td <td>section</td> <td>caption</td> <td>CDATA</td> <td>#IMPLIED&gt;</td>	section	caption	CDATA	#IMPLIED>
ELEMENT</td <td>segment</td> <td colspan="3">(pointofview*)&gt;</td>	segment	(pointofview*)>		
<iattlist< td=""><td>segment</td><td>start</td><td>CDATA</td><td>#REQUIRED</td></iattlist<>	segment	start	CDATA	#REQUIRED
		end	CDATA	#REQUIRED>
ELEMENT</td <td>pointofview</td> <td>EMPTY&gt;</td> <td></td> <td></td>	pointofview	EMPTY>		
ATTLIST</td <td>pointofview</td> <td>keyword</td> <td>CDATA</td> <td>#REQUIRED</td>	pointofview	keyword	CDATA	#REQUIRED
		priority	NMTOKEN	#REQUIRED>

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

```
/>xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m08.dtd">
```

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR NAMENT" runtime="11:42"> <mediaobject id="mobj-01">

<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
<pointofview keyword="SUMO WRESTLER0" priority="5"/>
<pointofview keyword="SUMO WRESTLER1" priority="5"/>
<section>

<pointofview keyword="SUMO WRESTLER4" priority="1"/>
<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
</segment>

</section>

<segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
</segment>

</section>

<section>

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
   </seament>
 </section>
 <section>
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
     <pointofview keyword="SUMO WRESTLER0" priority="3"/>
     <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   </seament>
   <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
     <pointofview keyword="SUMO WRESTLER0" priority="1"/>
   </seament>
   <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
     <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="1"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <seament start="smpte=00:00:57:10" end="smpte=00:01:00:28">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO NAME" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <pointofview keyword="SUMO WRESTLER1" priority="2"/>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
 </segment>
</section>
<section>
 <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
 <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
 </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="1"/>
 <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
```

```
</segment>
  <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="2"/>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER5" priority="2"/>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <seament start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
```

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </seament>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
  <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </seament>
  <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </seament>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </seament>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
```

</segment>

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </seament>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </seament>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </seament>
    </section>
     <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
      </segment>
    </section>
  </section>
</mediaobject>
<mediaobiect id="mobi-02">
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <section>
     <pointofview keyword="SUMO NAME" priority="4"/>
     <pointofview keyword="SUMO WRESTLER2" priority="5"/>
     <pointofview keyword="SUMO WRESTLER3" priority="5"/>
     <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24">
```

```
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21">
  </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="2"/>
 <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02">
  </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17">
 </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21">
 </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </seament>
 <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </segment>
 <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </seament>
```

```
<segment start="smpte=00:02:29:07" end="smpte=00:02:45:27">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </seament>
  <segment start="smpte=00:02:45:28" end="smpte=00:02:48:20">
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:02:49:21" end="smpte=00:02:58:26">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:02:58:27" end="smpte=00:03:02:25">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <segment start="smpte=00:03:02:26" end="smpte=00:03:04:27">
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  </segment>
  <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  </seament>
  <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </seament>
</section>
<section>
 <pointofview keyword="VIDEO" priority="4"/>
 <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17">
   <pointofview keyword="VIDEO" priority="4"/>
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
```

# FIG. 97




FIG. 98




FIG. 99




FIG. 100




FIG. 101





FIG. 102



<!ENTITY %

< !ELEMENT grpoflayer

laver

context

<!ELEMENT laver

<IELEMENT context

<!ATTLIST

<!ATTLIST

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML <?xml version="1.0"?>

types "(audio|video|audiovideo)">

<!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg 2-ps/mpeg2-ts/mpeg2-video)"> <!ELEMENT contents (mediaobject+)> <!ATTLIST contents contents-id CDATA #REQUIRED title CDATA #REQUIRED runtime NMTOKEN #REQUIRED> <!ELEMENT mediaobject (channel+)> <!ATTLIST mediaobject caption CDATA #IMPLIED type %types; "audiovideo" format %formats: #REQUIRED locator CDATA #REQUIRED> <!ELEMENT\_channel (pointofview\*,grpoflayers?, context)> <!ATTLIST channel caption CDATA #IMPLIED priority NMTOKEN #REQUIRED> <!ELEMENT pointofview EMPTY> <!ATTLIST pointofview keyword CDATA #REQUIRED priority NMTOKEN #REQUIRED>

(layer+)>

EMPTY>

laver-id

priority

EMPTY>

Locator

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

CDATA

CDATA

**NMTOKEN** 

#REQUIRED

#REQUIRED>

#REQUIRED>

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m05.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR NAMENT" runtime="11:42">

<mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg
1-system"</pre>

locator="http://mserv.trl.mei.co.jp/MPEG/sumou01.mpg"> <channel caption="GRAND SUMO TOURNAMENT audiovideo" pri ority="5">

<pointofview keyword="audiovideo" priority="5">

```
<context Locator="http://mserv.trl.mei.co.ip/SMML/sumou01.xml"/>
     </channel>
   </mediaobiect>
   <mediaobiect caption="YOKOZUNA" type="video" format="mpeg2-vid</p>
eo"
          locator="http://mserv.trl.mei.co.jp/MPEG/sumou01v.mpg">
     <channel caption="GRAND SUMO TOURNAMENT video" priority=</p>
       <pointofview keyword="video" priority="5">
       <grpoflayers>
         <layer layer-id="video-normal" priority="5"/>
         <layer layer-id="video-high" prioity="3"/>
       </grpoflayers>
       <context Locator="http://mserv.trl.mei.co.ip/SMML/sumou01v.xml"/</pre>
>
     </channel>
  </mediaobiect>
  <mediaobject caption="YOKOZUNA" type="audio" format="mpeg-audi
         locator="http://mserv.trl.mei.co.jp/MPEG/sumou01a.mpg">
    <channel caption="GROUND SUMO TOURNAMENT Japanese" pri</p>
ority="4">
      <pointofview keyword="Japanese" priority="5">
      <context Locator="http://mserv.trl.mei.co.ip/SMML/sumou01as.xml"</pre>
/>
    </channel>
    <channel caption="GROUND SMO TOURNAMENT English" priorit</pre>
v="3">
      <pointofview keyword="English" priority="5">
      <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01am.xml
"/>
    </channel>
  </mediaobiect>
</contents>
```

FIG. 105




FIG. 106




FIG. 107





FIG. 108








FIG. 110




FIG. 111




FIG. 112






FIG. 113











FIG. 116








FIG. 118





FIG. 119








FIG. 121




FIG. 122




FIG. 123




FIG. 124




FIG. 125





FIG. 126



DTD TO BE USED FOR DESCRIBING, IN XML, ONE EXAMPLE OF DATA INTO WHICH CONTEXT DESCRIPTION DATA AND STRUCT URE DESCRIPTION DATA ARE MERGED <?\text{xml version="1.0"?>}

<pre><!--ENTITY % types "(audio video audiovideo)"--> <!--ENTITY % formats "(mpeg1-system mpeg1-video mpeg-audio mpeg</pre--></pre>				
2-ps mpeg2-ts mpeg2-video)">				
		(mediaobject		UDEOL UDED
ATTLIST</td <td>contents</td> <td>contents-id</td> <td>CDATA</td> <td>#REQUIRED</td>	contents	contents-id	CDATA	#REQUIRED
		title runtime	CDATA NMTOKEN	#REQUIRED>
ELEMENT</td <td>mediaobject</td> <td>(channel+)&gt;</td> <td>NWITOKEN</td> <td>#REQUIRED&gt;</td>	mediaobject	(channel+)>	NWITOKEN	#REQUIRED>
ATTLIST</td <td>mediaobject</td> <td>caption</td> <td>CDATA</td> <td>#IMPLIED</td>	mediaobject	caption	CDATA	#IMPLIED
CALLOT	mediaobject	type	%types;	"audiovideo"
		format	%formats:	#REQUIRED
		seq	NMTOKEN	#REQUIRED
		locator	CDATA	#REQUIRED>
ELEMENT</td <td>channel</td> <td></td> <td>grpoflayers?,</td> <td></td>	channel		grpoflayers?,	
	channel	caption	CDATA	#IMPLIED
		priority	NMTOKEN	#REQUIRED>
ELEMENT</td <td>pointofview</td> <td>EMPTY&gt;</td> <td></td> <td></td>	pointofview	EMPTY>		
ATTLIST</td <td>pointofview</td> <td>keyword</td> <td>CDATA</td> <td>#REQUIRED</td>	pointofview	keyword	CDATA	#REQUIRED
		priority	NMTOKEN	#REQUIRED>
ELEMENT</td <td>grpoflayer</td> <td>(layer+)&gt;</td> <td></td> <td></td>	grpoflayer	(layer+)>		
	layer	EMPTY>		
ATTLIST</td <td>layer</td> <td>layer-id</td> <td>CDATA</td> <td>#REQUIRED</td>	layer	layer-id	CDATA	#REQUIRED
		priority	NMTOKEN	#REQUIRED>
	context	(section+)>		
	section	(section+ seg		
ATTLIST</td <td>section</td> <td>caption</td> <td>CDATA</td> <td>#IMPLIED</td>	section	caption	CDATA	#IMPLIED
IEI ELENE		priority	NMTOKEN	#REQUIRED>
	segment	EMPTY>	00.474	"DEOLUDED
ATTLIST</td <td>segment</td> <td>start</td> <td>CDATA</td> <td>#REQUIRED</td>	segment	start	CDATA	#REQUIRED
		end	CDATA	#REQUIRED
		priority	NMTOKEN	#REQUIRED>

ONE EXAMPLE OF XML DOCUMENT INTO WHICH CONTEXT DES CRIPTION DATA AND PHYSICAL DESCRIPTION DATA ARE MERGE D BY MEANS OF DTD

<sup>&</sup>lt;?xml version="1.0" encoding="euc-jp"?>

<sup>&</sup>lt;/pre


```
<contents contents-id="urn:upi:mei:12345" title="GROUND SUMO TOU</p>
RNAMENT" runtime="11:42">
  <mediaobiect caption="YOKOZUNA" type="audiovideo" format="mpeg</p>
1-system"
          seg="1" locator="sumou01.mpg">
    <channel caption="GROUND SUMO TOURNAMENT audiovideo" p</p>
riority="5">
       <pointofview keyword="audiovideo" priority="5">
       <context>
         <section caption="SUMO WRESTLER0 VS. SUMO WRESTLE</pre>
R1" priority="5">
           <section priority="1">
             <segment start="smpte=00:00:00:00" end="smpte=00:00:0
4:17" priority="1"/>
             <segment start="smpte=00:00:04:18" end="smpte=00:00:0</pre>
9:08" priority="1"/>
           </section>
           <section priority="2">
             <segment start="smpte=00:00:09:09" end="smpte=00:00:1</pre>
4:13" priority="2"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:14:14" end="smpte=00:00:1</pre>
9:19" priority="3"/>
           </section>
          <section priority="1">
             <segment start="smpte=00:00:19:20" end="smpte=00:00:2</pre>
2:19" priority="1"/>
          </section>
          <section priority="3">
             <segment start="smpte=00:00:22:20" end="smpte=00:00:2
8:10" priority="3"/>
             <segment start="smpte=00:00:28:11" end="smpte=00:00:3</pre>
0:28" priority="3"/>
             <segment start="smpte=00:00:30:29" end="smpte=00:00:4</p>
3:11" priority="3"/>
           </section>
          <section priority="2">
             <segment start="smpte=00:00:43:12" end="smpte=00:00:4
6:20" priority="2"/>
          </section>
          <section priority="3">
             <segment start="smpte=00:00:46:21" end="smpte=00:00:5</p>
7:09" priority="3"/>
          </section>
```

```
<section priority="2">
               <segment start="smpte=00:00:57:10" end="smpte=00:01:0
 0:28" priority="2"/>
            </section>
            <section priority="4">
              <segment start="smpte=00:01:00:29" end="smpte=00:01:1
 4:14" priority="4"/>
            </section>
            <section priority="2">
              <segment start="smpte=00:01:14:15" end="smpte=00:01:2
 4:20" priority="2"/>
            </section>
            <section priority="3">
              <segment start="smpte=00:01:24:21" end="smpte=00:01:3
 9:26" priority="3"/>
            </section>
            <section priority="2">
              <segment start="smpte=00:01:39:27" end="smpte=00:01:5</pre>
2:09" priority="2"/>
              <segment start="smpte=00:01:52:10" end="smpte=00:02:0"</pre>
2:16" priority="2"/>
              <segment start="smpte=00:02:02:17" end="smpte=00:02:3
1:09" priority="2"/>
              <segment start="smpte=00:02:31:10" end="smpte=00:02:4</pre>
7:18" priority="3"/>
           </section>
           <section priority="1">
              <segment start="smpte=00:02:47:19" end="smpte=00:02:5
9:03" priority="1"/>
             <segment start="smpte=00:02:59:04" end="smpte=00:03:0
7:14" priority="1"/>
           </section>
           <section priority="2">
             <segment start="smpte=00:03:07:15" end="smpte=00:03:1
3:28" priority="2"/>
             <segment start="smpte=00:03:13:29" end="smpte=00:03:2</pre>
1:28" priority="2"/>
             <segment start="smpte=00:03:21:29" end="smpte=00:03:3</pre>
3:15" priority="2"/>
             <segment start="smpte=00:03:33:16" end="smpte=00:03:4</pre>
7:00" priority="2"/>
             <segment start="smpte=00:03:47:01" end="smpte=00:03:5
8:14" priority="2"/>
```

```
<segment start="smpte=00:03:58:15" end="smpte=00:04:1
  2:27" priority="2"/>
             </section>
             <section priority="3">
               <segment start="smpte=00:04:12:28" end="smpte=00:04:2</pre>
 0:01" priority="3"/>
             </section>
             <section priority="4">
               <segment start="smpte=00:04:20:02" end="smpte=00:04:3</pre>
 1:05" priority="4"/>
               <segment start="smpte=00:04:31:06" end="smpte=00:04:3
 4:28" priority="4"/>
               <segment start="smpte=00:04:34:29" end="smpte=00:04:3</pre>
 7:06" priority="4"/>
            </section>
            <section priority="5">
               <segment start="smpte=00:04:37:07" end="smpte=00:04:5</pre>
 7:05" priority="5"/>
            </section>
            <section priority="5">
              <segment start="smpte=00:04:57:06" end="smpte=00:05:0
 0:02" priority="5"/>
              <segment start="smpte=00:05:00:03" end="smpte=00:05:0</pre>
 2:06" priority="4"/>
            </section>
            <section priority="2">
              <segment start="smpte=00:05:02:07" end="smpte=00:05:0
4:16" priority="2"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:05:04:17" end="smpte=00:05:1</pre>
3:25" priority="4"/>
              <segment start="smpte=00:05:13:26" end="smpte=00:05:1</pre>
7:01" priority="4"/>
              <segment start="smpte=00:05:17:02" end="smpte=00:05:2</pre>
3:21" priority="3"/>
              <segment start="smpte=00:05:23:22" end="smpte=00:05:4</pre>
4:15" priority="4"/>
              <segment start="smpte=00:05:44:16" end="smpte=00:05:5</pre>
0:27" priority="4"/>
              <segment start="smpte=00:05:50:28" end="smpte=00:06:0</pre>
8:15" priority="4"/>
             <segment start="smpte=00:06:08:16" end="smpte=00:06:1
8:05" priority="4"/>
```

```
<segment start="smpte=00:06:18:06" end="smpte=00:06:2
  4:04" priority="4"/>
               <segment start="smpte=00:06:24:05" end="smpte=00:06:4</pre>
  1:04" priority="4"/>
            </section>
          </section>
        </context>
      </channel>
    </mediaobiect>
    <mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg
  1-system"
           seq="2" locator="sumou02.mpg">
     <channel caption="GROUND SUMO TOURNAMENT audiovideo" p
 riority="5">
        <pointofview keyword="audiovideo" priority="5">
        <context>
          <section caption="SUMO WRESTLER2 VS. SUMO WRESTLE</pre>
 R3" priority="4">
            <section priority="4">
              <segment start="smpte=00:00:00:00" end="smpte=00:00:4</pre>
 2:24" priority="4"/>
            </section>
           <section priority="3">
              <segment start="smpte=00:00:42:25" end="smpte=00:00:5</pre>
 7:21" priority="3"/>
           </section>
           <section priority="2">
              <segment start="smpte=00:00:57:22" end="smpte=00:01:2</pre>
1:26" priority="1"/>
             <segment start="smpte=00:01:21:27" end="smpte=00:01:2</pre>
8:02" priority="2"/>
             <segment start="smpte=00:01:28:03" end="smpte=00:01:3
5:17" priority="2"/>
             <segment start="smpte=00:01:35:18" end="smpte=00:01:4
3:21" priority="2"/>
             <segment start="smpte=00:01:43:22" end="smpte=00:02:0"</pre>
0:02" priority="2"/>
             <segment start="smpte=00:02:00:03" end="smpte=00:02:2</pre>
1:05" priority="2"/>
             <segment start="smpte=00:02:21:06" end="smpte=00:02:2
9:06" priority="2"/>
             <segment start="smpte=00:02:29:07" end="smpte=00:02:4</pre>
5:27" priority="2"/>
             <segment start="smpte=00:02:45:28" end="smpte=00:02:4</pre>
9:20" priority="2"/>
```

```
</section>
           <section priority="3">
              <segment start="smpte=00:02:49:21" end="smpte=00:02:5
8:26" priority="3"/>
              <segment start="smpte=00:02:58:27" end="smpte=00:03:0
2:25" priority="3"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:03:02:26" end="smpte=00:03:0</pre>
4:27" priority="4"/>
           </section>
           <section priority="5">
             <segment start="smpte=00:03:04:28" end="smpte=00:03:3
0:11" priority="5"/>
           </section>
           <section priority="4">
             <segment start="smpte=00:03:30:12" end="smpte=00:03:3</pre>
3:27" priority="4"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:03:33:28" end="smpte=00:03:3
9:01" priority="3"/>
             <segment start="smpte=00:03:39:02" end="smpte=00:03:5
4:21" priority="3"/>
           </section>
           <section priority="4">
             <segment start="smpte=00:03:54:22" end="smpte=00:04:2
3:17" priority="4"/>
          </section>
          <section priority="3">
             <segment start="smpte=00:04:23:18" end="smpte=00:05:1</pre>
0:17" priority="3"/>
          </section>
          <section priority="1">
             <segment start="smpte=00:05:10:18" end="smpte=00:05:2
3:29" priority="1"/>
          </section>
        </section>
      </context>
    </channel>
  </mediaobiect>
</contents>
```



{ VIEW1, VIEW2, VIEW3,  $\cdots$ , VIEWn }

FIG. 135

 $\{5, 0, 2, \cdots, 0\}$ 

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

```
<IELEMENT contents
                       (povlist?,section+)>
<!ATTLIST
           contents
                       contents-id
                                   CDATA
                                               #REQUIRED
                       title
                                   CDATA
                                               #REQUIRED
                       runtime
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT povlist
                       (pointofview+)>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED>
<!ELEMENT section
                       (povvalue?,(section+|segment+))>
<!ATTLIST
           section
                       caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT povvalue
                       (priority+)>
<!ELEMENT priority
                       EMPTY>
<!ELEMENT seament
                       (povvalue?)>
<!ATTLIST
           segment
                                   CDATA
                       start
                                               #REQUIRED
                       end
                                   CDATA
                                              #REQUIRED>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                              #REQUIRED
                       priority
                                   NMTOKEN
                                              #REQUIRED>
```

```
DESCRIPTION DATA PREPARED BY DTD
<?xml version="1.0" encoding="euc-ip"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</p>
m10.dtd">
<contents contents-id="urn;upi:nhk:12345"</p>
                                        title= "GROUND
                                                          SUMO
TOURNAMMENT" runtime="11:42">
  <povlist>
   <pointofview keyword="SUMO WRESTLER0"/>
   <pointofview keyword="SUMO WRESTLER1"/>
   <pointofview keyowrd="SUMO WRESTLER2"/>
   <pointofview keyword="SUMO WRESTLER3"/>
   <pointofview keyword="SUMO WRESTLER4"/>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT

<pointofview keyword="SUMO WRESTLER5"/> <pointofview keyword="SUMO NAME"/> <pointofview keyword="WIN-LOSS RECORD"/>

<pointofview keyword="VIDEO"/>

</ri>

<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">

```
<povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <section>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </seament>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
   <povvalue>
     <priority value="1"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
cpriority value="0"/>
       <priority value="0"/>
       cpriority value="0"/>
       <priority value="0"/>
     </povvalue>
  </seament>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
     <povvalue>
       <priority value="3"/>
      <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       cpriority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <pri><priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
```

```
</segment>
    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
      <povvalue>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="1"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
     </povvalue>
   </seament>
 </section>
 <section>
   <povvalue>
     <priority value="3"/>
     <priority value="3"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <prionty value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
     <povvalue>
       <priority value="3"/>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="4"/>
```

```
<priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
     <povvalue>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
     <povvalue>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
```

```
</segment>
</section>
<section>
  <povvalue>
     cpriority value="4"/>
    <priority value="4"/>
     cpriority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       cpriority value="0"/>
       <pri>ority value="3"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <povvalue>
       <pri><priority value="4"/>
      <priority value="1"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</segment>
<segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
  <povvalue>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
        <priority value="0"/>
      </povvalue>
   </seament>
 </section>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="2"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
```

```
<povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    cority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
   <povvalue>
      <priority value="3"/>
     <priority value="3"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
<segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</seament>
<segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
   <povvalue>
     <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/> -
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
  <povvalue>
    <pri><priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    cpriority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
</povvalue>
   </seament>
   <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
     <povvalue>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </seament>
</section>
<section>
   <povvalue>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
    <povvalue>
       <priority value="4"/>
       <priority value="4"/>
       <pri>oriority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
· </segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <povvalue>
       <priority value="4"/>
```

```
<priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     cpriority value="0"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
   <povvalue>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
  <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    riority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </seament>
   <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
     <povvalue>
       <pri><priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <povvalue>
       <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
     <povvalue>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <povvalue>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

```
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
   <priority value="0"/>
    cority value="4"/>
 </povvalue>
 <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
   <pointofview keyword="VIDEO" priority="4"/>
   <pointofview keyword="SUMO WRESTLER0" priority="5"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
   <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
   <povvalue>
     <priority value="5"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
  <powalue>
     <priority value="4"/>
```

```
<priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
     </seament>
     <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
       <povvalue>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
    </seament>
  </section>
  <section>
    <povvalue>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
  </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

```
<pointofview keyword="SUMO WRESTLER3" priority="5"/>
 <povvalue>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="5"/>
   <priority value="5"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
 </povvalue>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="3"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="3"/>
       <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
```

```
</segment>
 </section>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
 <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
  <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:39:06" end="smpte=00:08;47:06">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
```

```
<povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </seament>
<segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
  <povvalue>
     cpriority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
```

```
</segment>
   <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
     <povvalue>
        <priority value="0"/>
        <priority value="0"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
   <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
```

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

<!ELEMENT contents (povlist?,section+)> <!ATTLIST contents contents-id CDATA #REQUIRED title CDATA #REQUIRED runtime NMTOKEN #REQUIRED> <!ELEMENT povlist (pointofview+)> <!ELEMENT pointofview ËMPTY> <!ATTLIST pointofview kevword CDATA #REQUIRED> <!ELEMENT section (povvalue?,(section+|segment+))> <!ATTLIST section caption CDATA #IMPLIED> <!ELEMENT povvalue (priority+)> <!ELEMENT priority EMPTY> <!ELEMENT segment (povvalue?,dominant-data)> <!ATTLIST segment start **CDATA** #REQUIRED end CDATA #REQUIRED> <!ELEMENT pointofview EMPTY> <!ATTLIST pointofview kevword CDATA #REQUIRED priority NMTOKEN #REQUIRED> <!ELEMENT dominant-data EMPTY> dominant-data frame-no <!ATTLIST NMTOKEN #IMPLIED start CDATA #IMPLIED end **CDATA** 

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

CDATA

locator

#IMPLIED

#IMPLIED>

<?xml version="1.0" encoding="euc-ip"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre> m11.dtd">

contents-id="urn:upi:nhk:12345" title="GROUND SUMO TOURNAMENT" runtime="11:42">

<povlist>

<pointofview keyword="SUMO WRESTLER0"/>

<pointofview keyword="SUMO WRESTLER1"/>

<pointofview keyowrd="SUMO WRESTLER2"/> <pointofview keyword="SUMO WRESTLER3"/>

<pointofview keyword="SUMO WRESTLER4"/>

```
<pointofview keyword="SUMO WRESTLER5"/>
  <pointofview keyword="SUMO NAME"/>
  <pointofview keyword="WIN-LOSS RECORD"/>
  <pointofview keyword="VIDEO"/>
</povlist>
<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
 </povvalue>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="1"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
    -dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m
 p3"/>
        </seament>
     </section>
     <section>
       <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi</p>
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m
 </"8q
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
      <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m
p3"/>
      </seament>
    </section>
    <section>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
     <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
```

```
<povvalue>
            <priority value="3"/>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
         <povvalue>
            <priority value="1"/>
            <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m
c/"Ea
       </segment>
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

```
</povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m</pre>
 p3"/>
        </segment>
     </section>
     <section>
        <povvalue>
          <priority value="3"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="2"/>
          coriority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
         <povvalue>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m</p>
p3"/>
      </seament>
      <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
         <povvalue>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
 35:05"/>
        </segment>
      </section>
      <section>
        <povvalue>
          <priority value="3"/>
          <priority value="3"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
         <povvalue>
            <priority value="3"/>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="4"/>
         <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
```

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       .
<segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</p>
50:03"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="3"/>
         <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
        <povvalue>
          <priority value="3"/>
          <priority value="3"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
           </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m</p>
 p3"/>
        </segment>
      </section>
      <section>
        <povvalue>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
         <povvalue>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="2"/>
         <priority value="2"/>
         <priority value="0"/>
        <priority value="0"/>
```

```
<priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
          <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
 19:03"/>
        </segment>
     </section>
     <section>
       <povvalue>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="3"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="3"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
```

```
<priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
          <povvalue>
            <priority value="4"/>
            <priority value="1"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
55:10"/>
      </segment>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
        <povvalue>
           <priority value="4"/>
```

```
<priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma13.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
        <povvalue>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="2"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
 48:02"/>
       </segment>
     </section>
     <section>
       <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
02:12"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="3"/>
```

```
<priority value="3"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
         <povvalue>
            <priority value="3"/>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
10:20"/>
       </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <povvalue>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
 25:02"/>
        </segment>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
          <povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
       </seament>
       <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
      </seament>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <povvalue>
          <priority value="0"/>
          <priority value="4"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
 01:07"/>
       </segment>
     </section>
     <section>
       <povvalue>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi</p>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
            <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m</pre>
 p3"/>
        </segment>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
          <povvalue>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m
p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         -dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp18.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m
p3"/>
       </segment>
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp19.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m
p3"/>
      </segment>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m</p>
 p3"/>
        </segment>
     </section>
     <section>
       <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
          <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
 02:20"/>
        </seament>
     </section>
     <section>
       <povvalue>
         <priority value="5"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         -dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</p>
 p3"/>
        </segment>
       <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
          <povvalue>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
```

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="5"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <povvalue>
           <priority value="5"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp24.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m
p3"/>
       </seament>
       <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
         <povvalue>
           <priority value="5"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m
p3"/>
      </seament>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
```

```
<povvalue>
            <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp26.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
         <povvalue>
           <pri>ority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri><priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp27.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma27.m.</p>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
```

```
<priority value="0"/>
      </povvalue>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
        <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <section>
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <pri><priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
     <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="5"/>
         <priority value="5"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m</pre>
 p3"/>
        </segment>
     </section>
     <section>
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="3"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
         <povvalue>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="3"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
```

```
<priority value="2"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
         <povvalue>
            <priority value="2"/>
            <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
18:23"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
 43:01"/>
        </seament>
     </section>
     <section>
       <povvalue>
          cpriority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
         <priority value="0"/>
         coriority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         -dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
```

```
<priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m</p>
p3"/>
      </seament>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="4"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m</p>
 p3"/>
        </segment>
        <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
         <povvalue>
            <priority value="0"/>
           <priority value="0"/>
            <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m</pre>
p3"/>
```

```
</seament>
       <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m</p>
p3"/>
      </seament>
       <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

```
<priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m
 p3"/>
       </segment>
       <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m</p>
p3"/>
       </seament>
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m</p>
p3"/>
      </segment>
    </section>
    <section>
```

```
<povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
       <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m
p3"/>
       </seament>
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m
p3"/>
```


```
</segment>
        <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <pri><priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m</p>
p3"/>
       </seament>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m</pre>
p3"/>
       </seament>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
```

```
<priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
          <povvalue>
           cpriority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
        <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
      </segment>
    </section>
  </section>
</contents>
```

FIG. 197





</povlist>

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

<!ELEMENT contents (povlist?,section+)> <IATTLIST contents contents-id CDATA #REQUIRED title CDATA #REQUIRED runtime NMTOKEN #REQUIRED> <!ELEMENT povlist (pointofview+)> <!ELEMENT pointofview EMPTY> <!ATTLIST pointofview kevword CDATA #REQUIRED> <!ELEMENT section (povlist?,povvalue?,(section+|segment+))> <!ATTLIST section caption CDATA #IMPLIED> <!ELEMENT povvalue (priority+)> <!ELEMENT priority EMPTY> <!ELEMENT segment (povlist?,povvalue?)> <!ATTLIST segment start CDATA #REQUIRED

end

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD <?xml version="1.0" encoding="euc-jp"?> <IDOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/program12 dtd">

CDATA

#REQUIRED>

<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO TOURNAMENT" runtime="11:42">

<povlist>
<povlist>
<pointofview keyword="SUMO WRESTLER0"/>
<pointofview keyword="SUMO WRESTLER1"/>
<pointofview keyword="SUMO WRESTLER2"/>
<pointofview keyword="SUMO WRESTLER2"/>
<pointofview keyword="SUMO WRESTLER4"/>
<pointofview keyword="SUMO WRESTLER5"/>
<pointofview keyword="SUMO WRESTLER5"/>
<pointofview keyword="SUMO NAME"/>
<pointofview keyword="WIN-LOSS RECORD"/>
<pointofview keyword="WIN-LOSS RECORD"/>
<pointofview keyword="VIDEO"/>

<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
 <povlist>

<pointofview keyword="SUMO WRESTLER0"/>

```
<pointofview keyword="SUMO WRESTLER1"/>
</povlist>
<povvalue>
  <priority value="5"/>
  <priority value="5"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
```

```
</povvalue>
  <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
 <povlist>
   <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
 </povlist>
 <povvalue>
   <priority value="3"/>
   <priority value="3"/>
 </povvalue>
 <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
   <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="3"/>
     <priority value="3"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
   <povvalue>
     <priority value="1"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
   <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="3"/>
     <priority value="3"/>
```

```
</povvalue>
   </seament>
 </section>
 <section>
   <povvalue>
     <priority value="3"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="2"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
     <povvalue>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
     <povvalue>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povlist>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="3"/>
     <priority value="3"/>
   </povvalue>
   <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
     <povlist>
       <pointofview keyword="SUMO WRESTLER0"/>
       <pointofview keyword="SUMO WRESTLER1"/>
     </povlist>
     <povvalue>
       <priority value="3"/>
       <priority value="3"/>
     </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
</section>
```

```
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <pri>ority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <pri><priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
```

```
</segment>
 </section>
 <section>
   <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="2"/>
     <priority value="2"/>
   </povvalue>
   <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
     <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
       <priority value="4"/>
       <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
```

```
</povlist>
 <povvalue>
   <priority value="4"/>
   <priority value="4"/>
 </povvalue>
 <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
   <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     cpriority value="4"/>
     <priority value="1"/>
   </povvalue>
 </segment>
<segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
   <povvalue>
     <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
        <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
</section>
<section>
  <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <pri><priority value="2"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
 </segment>
 <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
   <povvalue>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
  <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTI ER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</seament>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <pri>ority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
  </povvalue>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
   <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
   <povvalue>
```

```
<priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</seament>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
     </povvalue>
  </seament>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
       <pointofview keyword="SUMO WRESTLER0"/>
       <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <pri><priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
```

```
<povvalue>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </seament>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
     <povvalue>
       <priority value="4"/>
       <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <powalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
 <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <pri>ority value="0"/>
     <priority value="4"/>
  </povvalue>
</seament>
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
  <povvalue>
     <pri><pri>ority value="5"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
     <priority value="4"/>
  </povvalue>
</seament>
<segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</seament>
<segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
```

```
</povvalue>
    </seament>
  </section>
  <section>
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
 </section>
</section>
<section caption="SUMO WRESTLER2">
 <povlist>
   <pointofview keyowrd="SUMO WRESTLER2"/>
   <pointofview keyword="SUMO WRESTLER3"/>
 </povlist>
 <povvalue>
   <priority value="5"/>
   <priority value="5"/>
 </povvalue>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
     <povvalue>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
</section>
<section>
  <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <pri><priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="3"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
```

```
</segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <powalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
   <povvalue>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
 <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
 </povlist>
 <povvalue>
   <priority value="4"/>
   <priority value="4"/>
 </povvalue>
 <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
   <povlist>
     <pointofview keyowrd="SUMO WRESTLER2"/>
     <pointofview keyword="SUMO WRESTLER3"/>
   </povlist>
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</segment>
<segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
     <pointofview keyowrd="SUMO WRESTLER2"/>
     <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
```

```
</povvalue>
 </seament>
 <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
</section>
<section>
  <povlist>
    <pointofview kevowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
 </povvalue>
 <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
   </povlist>
   <povvalue>
     <priority value="5"/>
     <priority value="5"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="5"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
  <seament start="smpte=00:09:51:28" end="smpte=00:09:57:01">
     <povlist>
       <pointofview keyowrd="SUMO WRESTLER2"/>
       <pointofview keyword="SUMO WRESTLER3"/>
     </povlist>
     <povvalue>
       <priority value="4"/>
       <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <povvalue>
      <priority value="0"/>
```

```
<priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
          </povvalue>
       </seament>
     </section>
     <section>
       <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
      </seament>
    </section>
  </section>
</contents>
```

```
DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML
```

<?xml version="1.0"?>

```
<!ELEMENT contents
                       (povlist?,section+)>
<!ATTLIST contents
                       contents-id
                                  CDATA
                                               #REQUIRED
                       title
                                   CDATA
                                               #REQUIRED
                       runtime
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT povlist
                       (pointofview+)>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED>
<!ELEMENT section
                       (povlist?,povvalue?,(section+|segment+))>
<!ATTLIST
           section
                       caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT povvalue
                       (priority+)>
<!ELEMENT priority
                       EMPTY>
<!ELEMENT segment
                       (povlist?,povvalue?,dominant-data)>
<!ATTLIST
           segment
                       start
                                   CDATA
                                               #REQUIRED
                       end
                                   CDATA
                                              #REQUIRED>
<!ELEMENT dominant-data EMPTY>
<!ATTLIST
           dominant-data frame-no
                                   NMTOKEN
                                              #IMPLIED
                       start
                                   CDATA
                                              #IMPLIED
                       end
                                   CDATA
                                              #IMPLIED
                       locator
                                   CDATA
                                              #IMPLIED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>

<IDOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m13.dtd">

<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO
TOURNAMENT" runtime="11:42">

<povlist>

<pointofview keyword="SUMO WRESTLERO"/>
<pointofview keyword="SUMO WRESTLER1"/>
<pointofview keyword="SUMO WRESTLER2"/>
<pointofview keyword="SUMO WRESTLER3"/>
<pointofview keyword="SUMO WRESTLER4"/>
<pointofview keyword="SUMO WRESTLER6"/>
<pointofview keyword="SUMO WRESTLER6"/>
<pointofview keyword="SUMO NAME"/>
<pointofview keyword="WIN-LOSS RECORD"/>

```
<pointofview keyword="VIDEO"/>
   </povlist>
   <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
     <povlist>
       <pointofview keyword="SUMO WRESTLER0"/>
       <pointofview keyword="SUMO WRESTLER1"/>
     </povlist>
     <povvalue>
       <priority value="5"/>
       <priority value="5"/>
     </povvalue>
     <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="1"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m"
 p3"/>
        </segment>
      </section>
     <section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
          <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m</p>
 p3"/>
       </segment>
     </section>
     <section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="3"/>
         <priority value="3"/>
       </povvalue>
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m</p>
p3"/>
```

```
</seament>
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
         <povvalue>
           <priority value="1"/>
           <priority value="0"/>
           <pri>ority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma05.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m</p>
p3"/>
      </seament>
    </section>
    <section>
      <povvalue>
         <priority value="3"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         coriority value="0"/>
```

```
</povvalue>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
          <povvalue>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="2"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m
p3"/>
       </segment>
       <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
         <povvalue>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
35:05"/>
      </seament>
    </section>
    <section>
      <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
```

```
<povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma08.m
p3"/>
      </seament>
    </section>
    <section>
      <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:46;21" end="smpte=00:00:57:09">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
50:03"/>
      </seament>
    </section>
    <section>
      <povlist>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
         <priority value="3"/>
         <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp09.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m</p>
/"Sa
      </seament>
    </section>
    <section>
      <povvalue>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <povvalue>
           <pri>ority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri><pri>ority value="4"/>
           <priority value="0"/>
```

```
<priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma10.m"</p>
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="2"/>
        <priority value="2"/>
      </povvalue>
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
        <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
19:03"/>
      </seament>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        cpriority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="3"/>
        <priority value="0"/>
      </povvalue>
     <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="3"/>
```

```
<priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp11.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
        <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
           <pri><priority value="4"/>
           <priority value="1"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp12.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
        <povvalue>
           <priority value="4"/>
           <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
           <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
```

```
<dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</p>
 55:10"/>
       </seament>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
         <povlist>
            <pointofview keyword="SUMO WRESTLER0"/>
            <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m</p>
p3"/>
       </seament>
       <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
```

```
<segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
          <povvalue>
             <priority value="0"/>
             <priority value="0"/>
            <priority value="2"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
 48:02"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
02:12"/>
      </segment>
    </section>
```

```
<section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="3"/>
         <priority value="3"/>
       </povvalue>
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
10:20"/>
      </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
        <povvalue>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <povvalue>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
 25:02"/>
       </segment>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
       </seament>
       <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <povvalue>
           <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
01:07"/>
       </segment>
    </section>
    <section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="5"/>
         <priority value="5"/>
       </povvalue>
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi
f"/>
        <dominant-data-locator="http://mserv.trl.mei.co.jp/DMA/dma14.m</p>
p3"/>
      </seament>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <povvalue>
           <priority value="4"/>
           <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp15.gi</p>
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m"</p>
 p3"/>
        </segment>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
          <povvalue>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m
p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp17.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
        <povlist>
          <pointofview keyword="SUMO WRESTLER0"/>
          <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
          <priority value="5"/>
```

```
<priority value="5"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m
 p3"/>
       </segment>
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
         <povvalue>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
        <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
02:20"/>
      </segment>
```

f"/>

```
</section>
     <section>
        <povvalue>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
         <povvalue>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</p>
p3"/>
       </seament>
       <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</p>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
         <povvalue>
            <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         -dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m</pre>
p3"/>
      </seament>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
        <povvalue>
          <priority value="5"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
```

```
</povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m</p>
 p3"/>
        </segment>
       <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
          <povvalue>
            <priority value="5"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m
p3"/>
      </seament>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
        <povvalue>
           <priority value="4"/>
           <priority value="4"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri><priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m</p>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
      </seament>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
         <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
```

```
</povvalue>
      <section>
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="3"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
       <povvalue>
```

f"/>

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="3"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m
p3"/>
       </seament>
     </section>
     <section>
       <povvalue>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
         <povvalue>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
18:23"/>
      </segment>
   </section>
```

```
<section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
43:01"/>
      </seament>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
     <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
        <povlist>
          <pointofview kevowrd="SUMO WRESTLER2"/>
          <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
```

```
</povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m</p>
 p3"/>
        </seament>
     </section>
     <section>
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma31.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
```

```
</povvalue>
        <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
          <povlist>
            <pointofview keyowrd="SUMO WRESTLER2"/>
            <pointofview keyword="SUMO WRESTLER3"/>
          </povlist>
          <povvalue>
            <priority value="4"/>
            <priority value="4"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m
 p3"/>
       </segment>
       <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp33.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
        <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma34.m
p3"/>
```

```
</seament>
       <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         -dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m
</"Eq
       </segment>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m
p3"/>
      </seament>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
        <povlist>
          <pointofview keyowrd="SUMO WRESTLER2"/>
          <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
        </povvalue>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m"
 p3"/>
        </segment>
       <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m
p3"/>
       </segment>
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp39.qi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
```

```
<povvalue>
         <priority value="5"/>
         <priority value="5"/>
       </povvalue>
       <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
         <povlist>
            <pointofview keyowrd="SUMO WRESTLER2"/>
            <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m</p>
p3"/>
      </seament>
      <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
        <povlist>
          <pointofview keyowrd="SUMO WRESTLER2"/>
          <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
        </povvalue>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma42.m</p>
p3"/>
       </seament>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
         <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <pri><priority value="0"/>
          <priority value="4"/>
        </povvalue>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.m</p>
p3"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="5"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMA/dma45.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
         <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
      </segment>
    </section>
  </section>
</contents>
```

FIG. 253




FIG. 254




FIG. 255






FIG. 256



## FIG. 257 (a)



## FIG. 258 (a)




FIG. 259 (a)




FIG. 260




FIG. 261




FIG. 262




FIG. 263




FIG. 264






FIG. 265



ı

FIG. 266



1

FIG. 267




FIG. 268




FIG. 269




FIG. 270

